

2400 WOOD HOG

Optimal solutions for wood recycling!



STOEVELAAR



MORBARK®



FEATURES

- Easy maintenance of engine / rotor
- Compact and robustly built
- Easy and effective loading
- Perfectly uniform finished product
- Hammers can be used on both sides
- Screen is easy to change from the side

Available as a trailer and is easy to transport.

Equipped with a 2-axle European chassis and is fully road legal (CE).

Also available on tracks (XT).



TECHNICAL SPECIFICATIONS	2400XP (DIESEL)	2400XE (ELECTRIC)	2400XT (TRACKS)
Length (transport)	9,75 m	9,75 m	8,15 m
Length (operating)	12,25 m	12,25 m	10,95 m
Height (transport)	3,36 m	3,36 m	3,33 m
Height (operating)	4,5 m	4,5 m	4,47 m
Width	2,3 m	2,3 m	2,48 m
Gross Weight (approximate)	11 t	10 t	10,6 t
Engine	Volvo TAD583VE	Electric	Volvo TAD583VE
Horsepower	238 HP / 175 kW	110 kW rotor 37 kW hydraulics	238 HP / 175 kW
Fuel Capacity (tank)	352 litres	n.a.	352 litres
Fuel Capacity (hydraulic)	238,5 litres	238,5 litres	238,5 litres
Feed Opening	48.3 cm x 134.6 cm	48.3 cm x 134.6 cm	48.3 cm x 134.6 cm





MORBARK®

Stoevelaar Machinery is a versatile organisation with a broad product & service program for companies in the recycling industry and biomass. Our assortment consists of premium recycling machines that make it possible to shred, chip, screen and sort all kind of recyclable material into a semi-finished or finished product.

Morbark based in the USA, has been innovating and manufacturing durable, high-performance equipment for more than 60 years. Stoevelaar Recycling is since 2017 successfully importer of Morbark Equipment for Europe. With its strong network of dealers Stoevelaar provides European custom made good quality machines and a superior customer service.

Please visit our website www.stoevelaar-machinery.com and find your local dealer or contact us directly by email info@stoevelaar-machinery.com

STOEVELAAR

Stoevelaar Machinery
Wolfveldseweg 1a
7737 PK Stegeren

T. +31 (0)529 408170
info@stoevelaar-machinery.com
www.stoevelaar-machinery.com